

[Impact of anastomotic leakage on long-term survival in mid-to-low rectal cancer].

Jäger T, Nawara C, Neureiter D, Holzinger J, Öfner-Velano D, Dinnewitzer A. Chirurg. 2015 Oct 1. [Epub ahead of print] German.

Topic: Inguinal Hernia - Unsolved problem in the daily practice.

Yasuo S, Kenichi Y, Ueno N, Arimoto A, Hosono M, Yoshikawa T, Toyokawa A, Kakeji Y, Tsai Y, Tsai C, Sul J, Lim M, Park J, Jang CE, Santilli O, Tripoloni D, Santilli H, Nardelli N, Greco A, Estevez M, Sakurai S, Ryu S, Cesana G, Ciccarese F, Uccelli M, Grava G, Castello G, Carrieri D, Legnani G, Olmi S, Naito M, Yamamoto H, Sawada Y, Mandai Y, Asano H, Ino H, Tsukuda K, Nagahama T, Ando M, Ami K, Arai K, Miladinovic M, Kitanovic A, Lechner M, Mayer F, Meissnitzer M, Fortsner R, Öfner D, Köhler G, Jäger T, Kumata Y, Fukushima R, Inaba T, Yaguchi Y, Horikawa M, Ogawa E, Katayama T, Kumar PS, Unal D, Caparlar C, Akkaya T, Mercan U, Kulacoglu H, Barreiro JJ, Baer IG, García LS, Cumplido PL, Florez LJ, Muñiz PF, Fujino K, Mita K, Ohta E, Takahashi K, Hashimoto M, Nagayasu K, Murabayashi R, Asakawa H, Koizumi K, Hayashi G, Ito H, Felberbauer F, Strobl S, Kristo I, Riss S, Prager G, El Komy H, El Gendi A, Nabil W, Karam M, El Kayal S, Chihara N, Suzuki H, Watanabe M, Uchida E, Chen T, Wang J, Wang H, Bouchiba N, Elbakary T, Ramadan A, Elakkad M, Berney C, Vlasov V, Babii I, Pidmurnyak O, Prystupa M, Asakage N, Molinari P, Contino E, Guzzetti L, Oggioni M, Sambuco M, Berselli M, Farassino L, Cocozza E, Crespi A, Ambrosoli A, Zhao Y.

Hernia. 2015 Apr;19(Suppl 1):S293-S304. No abstract available.

Topic: Inguinal Hernia - Tailored surgery.

Vanini R, Kabbara S, Elia E, Piancastelli A, Guglielminetti D, Tuveri M, Tuveri A, Nicolo E, Tomizawa K, Kuroyanagi H, Matoba S, Moriyama J, Toda S, Hanaoka Y, Fukui Y, Haruta S, Clara ES, Tang S, Tan WB, Wijerathne S, Hu J, Shabbir A, Lomanto D, Son G, Park S, Pietrantoni S, Pietrantoni C, Nishihara M, Takehara H, Nakagawa H, Kuniyoshi N, Aka H, Takushi Y, Miyahira T, Hanashiro N, Okushima N, Mayer F, Lechner M, Öfner D, Bittner R, Köhler G, Fortelný R, Köckerling F, Lim R, Berney C, Kato J, Iuamoto L, Meyer A, Floridi A, Bombelli E, Giuliani D, Galli I, Monti M, Longo A, Pisano G, Li J, Tian D.

Hernia. 2015 Apr;19(Suppl 1):S287-S292. No abstract available.

Causes, predictors and consequences of conversion from VATS to open lung lobectomy.

Augustin F, Maier HT, Weissenbacher A, Ng C, Lucciarini P, Öfner D, Ulmer H, Schmid T.

Surg Endosc. 2015 Sep 3. [Epub ahead of print]

Long-term surveillance of locally advanced rectal cancer patients with neoadjuvant chemoradiation and aggressive surgical treatment of recurrent disease: a consecutive single-centre experience.

Zitt M, DeVries A, Thaler J, Kafka-Ritsch R, Eisterer W, Lukas P, Öfner D. Int J Colorectal Dis. 2015 Aug 21. [Epub ahead of print]

Rail or roll: a new, convenient and safe way to position self-gripping meshes in open inguinal hernia repair.

Lechner MN, Jäger T, Buchner S, Köhler G, Öfner D, Mayer F. Hernia. 2015 May 20. [Epub ahead of print]

Impact of abdominal drainage systems on postoperative complication rates following liver transplantation.

Weiss S, Messner F, Huth M, Weissenbacher A, Denecke C, Aigner F, Brandl A, Dziodzio T, Sucher R, Boesmueller C, Oellinger R, Schneeberger S, **Öfner D**, Pratschke J, Biebl M.

Eur J Med Res. 2015 Aug 21;20:66. doi: 10.1186/s40001-015-0163-z.

Is the age of >65 years a risk factor for endoscopic treatment of primary inguinal hernia? Analysis of 24,571 patients from the Herniamed Registry.

Mayer F, Lechner M, Adolf D, Öfner D, Köhler G, Fortelny R, Bittner R, Köckerling F.

Surg Endosc. 2015 Apr 22. [Epub ahead of print]

Emergency oesophagectomy for oesophageal perforation after chemoradiotherapy for oesophageal cancer.

Schweigert M, Solymosi N, Dubecz A, Posada Gonzalez M, Stadlhuber RJ, **Öfner D**, Stein HJ.

Ann R Coll Surg Engl. 2015 Mar;97(2):140-5. doi: 10.1308/003588414X14055925060631.

Dynamic magnetic resonance imaging evaluation of pelvic reconstruction with porcine dermal collagen mesh following extra-levator abdominoperineal excision for primary rectal cancer.

Dinnewitzer A, Meissnitzer M, Meissnitzer T, Nawara C, Augschöll C, Buchner S, Mayer F, Öfner D.

Int J Colorectal Dis. 2015 Apr;30(4):491-6. doi: 10.1007/s00384-015-2169-y. Epub 2015 Feb 21.

Assessment of response to neoadjuvant radiochemotherapy with F-18 FLT and F-18 FDG PET/CT in patients with rectal cancer.

Rendl G, Rettenbacher L, Holzmannhofer J, Datz L, Hauser-Kronberger C, Fastner G, Öfner D, Sedlmayer F, Pirich C.

Ann Nucl Med. 2015 Apr;29(3):284-94. doi: 10.1007/s12149-014-0938-2. Epub 2014 Dec 11.

Preoperative treatment with capecitabine, cetuximab and radiotherapy for primary locally advanced rectal cancer--a phase II clinical trial.

Eisterer W, De Vries A, Öfner D, Rabl H, Koplmüller R, Greil R, Tschmelitsch J, Schmid R, Kapp K, Lukas P, Sedlmayer F, Höfler G, Gnant M, Thaler J; Austrian Breast and Colorectal Cancer Study Group (ABCSCG). Anticancer Res. 2014 Nov;34(11):6767-73.

[Pretreatment evaluation of microcirculation by dynamic contrast-enhanced magnetic resonance imaging predicts survival in primary rectal cancer patients.](#)

DeVries AF, Piringer G, Kremser C, Judmaier W, Saely CH, Lukas P, Öfner D. Int J Radiat Oncol Biol Phys. 2014 Dec 1;90(5):1161-7. doi: 10.1016/j.ijrobp.2014.07.042. Epub 2014 Sep 23.

[One decade of experience with endoscopic stenting for intrathoracic anastomotic leakage after esophagectomy: brilliant breakthrough or flash in the pan?](#)

Schweigert M, Solymosi N, Dubecz A, González MP, Stein HJ, **Öfner D**. Am Surg. 2014 Aug;80(8):736-45. PMID: 25105390

[Surgery for parapneumonic pleural empyema - What influence does the rising prevalence of multimorbidity and advanced age has on the current outcome?](#)

Schweigert M, Solymosi N, Dubecz A, Fernández MJ, Stadlhuber RJ, **Öfner D**, Stein HJ.

Surgeon. 2014 Jun 11. pii: S1479-666X(14)00069-9. doi: 10.1016/j.surge.2014.05.002. [Epub ahead of print]

[Emergent pneumonectomy for lung gangrene: does the outcome warrant the procedure?](#)

Schweigert M, Giraldo Ospina CF, Solymosi N, Karmy-Jones R, Dubecz A, Fernández MJ, Quero Valenzuela F, **Öfner D**, Stein HJ.

Ann Thorac Surg. 2014 Jul;98(1):265-70. doi: 10.1016/j.athoracsur.2014.03.007. Epub 2014 May 1.

[Evolution of surgical microwave ablation for the treatment of colorectal cancer liver metastasis: review of the literature and a single centre experience.](#)

Stättner S, Primavesi F, Yip VS, Jones RP, Öfner D, Malik HZ, Fenwick SW, Poston GJ.

Surg Today. 2015 Apr;45(4):407-15. doi: 10.1007/s00595-014-0879-3. Epub 2014 Mar 16.

[Morbidity after insertion of totally implantable venous access ports in oncological patients: results of a retrospective clinical study.](#)

Aspalter M, Lechner M, Linni K, Hitzl W, Hölzenbein T, **Öfner D**, Emmanuel K.

Am Surg. 2014 Feb;80(2):204-7. No abstract available.

[Recurrent oesophageal cancer complicated by tracheo-oesophageal fistula: improved palliation by means of parallel tracheal and oesophageal stenting.](#)

Schweigert M, Posada-González M, Dubecz A, **Ofner D**, Muschweck H, Stein HJ.

Interact Cardiovasc Thorac Surg. 2014 Feb;18(2):190-6. doi: 10.1093/icvts/ivt466. Epub 2013 Oct 29.

[\[Oesophageal GIST at the left tracheobronchial angle: resection with right-sided VATS\].](#)

Nawara C, Augschöll C, Hutter J, **Ofner D**, Primavesi F.

Zentralbl Chir. 2013 Oct;138(5):499-501. doi: 10.1055/s-0033-1350904. Epub 2013 Oct 22. German.

[Preparing for prospective clinical trials: a national initiative of an excellence registry for consecutive pancreatic cancer resections.](#)

Gangl O, Sahora K, Kornprat P, Margreiter C, Primavesi F, Bareck E, Schindl M, Längle F, Öfner D, Mischinger HJ, Pratschke J, Gnant M, Függer R. World J Surg. 2014 Feb;38(2):456-62.

[Tracheal bronchus associated with recurrent pneumonia.](#)

Schweigert M, Dubecz A, **Ofner D**, Stein HJ.

Ulster Med J. 2013 May;82(2):94-6.

PMID: 24082287 [Free PMC Article](#)

[Similar articles](#)

[Times and trends in the treatment of spontaneous perforation of the esophagus: from Herman Boerhaave to the present age.](#)

Schweigert M, Dubecz A, Solymosi N, **Ofner D**, Stein HJ.

Am Surg. 2013 Sep;79(9):902-8.

[Cumulative incidence of permanent stoma after sphincter preserving low anterior resection of mid and low rectal cancer.](#)

Dinnewitzer A, Jäger T, Nawara C, Buchner S, Wolfgang H, Öfner D. Dis Colon Rectum. 2013 Oct;56(10):1134-42. doi: 10.1097/DCR.0b013e31829ef472.

[Current outcome of esophagectomy in the very elderly: experience of a German high-volume center.](#)

Schweigert M, Solymosi N, Dubecz A, Stadlhuber RJ, **Ofner D**, Stein HJ. Am Surg. 2013 Aug;79(8):754-63.

[Endoscopic grading of the gastroesophageal flap valve is correlated with reflux activity and can predict the size of the esophageal hiatus in patients with gastroesophageal reflux disease.](#)

Koch OO, Spaun G, Antoniou SA, Rabl C, Köhler G, Emmanuel K, Öfner D, Pointner R.

Surg Endosc. 2013 Dec;27(12):4590-5. doi: 10.1007/s00464-013-3071-8. Epub 2013 Jul 12.

[\[Splenic Rupture after Colonoscopy: Case Series and Review of the Literature\].](#)

Primavesi F, Holzinger J, Öfner D, Hutter J.

Zentralbl Chir. 2015 Aug;140(4):453-5. doi: 10.1055/s-0032-1328355. Epub 2013 Jul 3. German. No abstract available.

Gangrene of the oesophago-gastric junction caused by strangulated hiatal hernia: operative challenge or surgical dead end.

Schweigert M, Dubecz A, **Ofner D**, Stein HJ.

Ir J Med Sci. 2014 Jun;183(2):323-30. doi: 10.1007/s11845-013-0981-3. Epub 2013 Jun 28.

Intrathoracic major duodenal papilla with transhiatal herniation of the pancreas and duodenum: A case report and review of the literature.

Jäger T, Neureiter D, Nawara C, Dinnewitzer A, **Ofner D**, Lamadé W.

World J Gastrointest Surg. 2013 Jun 27;5(6):202-6. doi: 10.4240/wjgs.v5.i6.202.

Endoscopic stent insertion versus primary operative management for spontaneous rupture of the esophagus (Boerhaave syndrome): an international study comparing the outcome.

Schweigert M, Beattie R, Solymosi N, Booth K, Dubecz A, Muir A, Moskorz K, Stadlhuber RJ, **Ofner D**, McGuigan J, Stein HJ.

Am Surg. 2013 Jun;79(6):634-40.

Length of nonoperative treatment and risk of pleural empyema in the management of pancreatitis-induced pancreaticopleural fistula.

Schweigert M, Solymosi N, Dubecz A, **Ofner D**, Stein HJ.

Am Surg. 2013 Jun;79(6):614-9.

Suspected inguinal hernias in pregnancy--handle with care!

Lechner M, Fortelny R, **Ofner D**, Mayer F.

Hernia. 2014 Jun;18(3):375-9. doi: 10.1007/s10029-013-1082-y. Epub 2013 Apr 5.

PMID: 23559310

Pancreaticopleural fistula-induced empyema thoracis: principles and results of surgical management.

Schweigert M, Renz M, Dubecz A, Solymosi N, **Ofner D**, Stein HJ.

Thorac Cardiovasc Surg. 2013 Oct;61(7):619-25. doi: 10.1055/s-0033-1334996. Epub 2013 Mar 8.

Time trends and disparities in lymphadenectomy for gastrointestinal cancer in the United States: a population-based analysis of 326,243 patients.

Dubecz A, Solymosi N, Schweigert M, Stadlhuber RJ, Peters JH, **Ofner D**, Stein HJ.

J Gastrointest Surg. 2013 Apr;17(4):611-8; discussion 618-9. doi: 10.1007/s11605-013-2146-0. Epub 2013 Jan 24.

Endoscopic stent insertion for anastomotic leakage following oesophagectomy.

Schweigert M, Solymosi N, Dubecz A, Stadlhuber RJ, Muschweck H, **Ofner D**, Stein HJ.

Ann R Coll Surg Engl. 2013 Jan;95(1):43-7. doi: 10.1308/003588413X13511609956255.

Is limited surgery justified in the treatment of T1 colorectal cancer?

Kogler P, Kafka-Ritsch R, Öfner D, Sieb M, Augustin F, Pratschke J, Zitt M. Surg Endosc. 2013 Mar;27(3):817-25. doi: 10.1007/s00464-012-2518-7. Epub 2012 Dec 12.

Surgical therapy for necrotizing pneumonia and lung gangrene.

Schweigert M, Dubecz A, Beron M, **Ofner D**, Stein HJ. Thorac Cardiovasc Surg. 2013 Oct;61(7):636-41. doi: 10.1055/s-0032-1311551. Epub 2012 Oct 3.

The tale of spring water cysts: a historical outline of surgery for congenital pericardial diverticula and cysts.

Schweigert M, Dubecz A, Beron M, **Ofner D**, Stein HJ. Tex Heart Inst J. 2012;39(3):330-4. Review.

Pulmonary infections imitating lung cancer: clinical presentation and therapeutical approach.

Schweigert M, Dubecz A, Beron M, **Ofner D**, Stein HJ. Ir J Med Sci. 2013 Mar;182(1):73-80. doi: 10.1007/s11845-012-0831-8. Epub 2012 May 17.

Triple induction chemotherapy and chemoradiotherapy for locally advanced esophageal cancer. A phase II study.

Eisterer W, De Vries A, Kendler D, Spechtenhauser B, Königsrainer A, Nehoda H, Virgolini I, Lukas P, Bechter O, Wöll E, **Ofner D**. Anticancer Res. 2011 Dec;31(12):4407-12.

Preoperative treatment with capecitabine, bevacizumab and radiotherapy for primary locally advanced rectal cancer--a two stage phase II clinical trial.

Resch G, De Vries A, Öfner D, Eisterer W, Rabl H, Jagoditsch M, Gnant M, Thaler J; Austrian Breast and Colorectal Cancer Study Group. Radiother Oncol. 2012 Jan;102(1):10-3. doi: 10.1016/j.radonc.2011.06.008. Epub 2011 Jul 7.

Reflux esophagitis and marginal ulcer after pancreaticoduodenectomy.

Buchner S, Spaun GO, Öfner-Velano D. J Gastrointest Surg. 2012 Feb;16(2):452. doi: 10.1007/s11605-011-1772-7. Epub 2011 Nov 17. No abstract available.

Surgical management of pleural empyema in the very elderly.

Schweigert M, Solymosi N, Dubcz A, Beron M, Thumfart L, Oefner-Velano D, Stein HJ. Ann R Coll Surg Engl. 2012 Jul;94(5):331-5. doi: 10.1308/003588412X13171221592212.

[Preoperative oxaliplatin, capecitabine, and external beam radiotherapy in patients with newly diagnosed, primary operable, cT₃NxM0, low rectal cancer: a phase II study.](#)

Ofner D, Devries AF, Schaberl-Moser R, Greil R, Rabl H, Tschmelitsch J, Zitt M, Kapp KS, Fastner G, Keil F, Eisterer W, Jäger R, Offner F, Gnant M, Thaler J; TAKO 05/ABCSG R-02 Trial Investigators.

Strahlenther Onkol. 2011 Feb;187(2):100-7. doi: 10.1007/s00066-010-2182-6. Epub 2011 Jan 21.

[Preoperative chemotherapy with cisplatin and docetaxel followed by surgery and clip-oriented postoperative chemoradiation in patients with localized gastric or gastroesophageal junction adenocarcinoma: results from a phase II feasibility study.](#)

Spizzo G, Öfner D, de Vries A, Lukas P, Steger G, Pluschnig U, Zacherl J, Widder J, Zabernigg A, Gastl G, Mühlmann G.

Ann Surg Oncol. 2011 Mar;18(3):677-83. doi: 10.1245/s10434-010-1388-2. Epub 2010 Nov 10.

[14-3-3 sigma and p53 expression in gastric cancer and its clinical applications.](#)

Mühlmann G, **Ofner D**, Zitt M, Müller HM, Maier H, Moser P, Schmid KW, Zitt M, Amberger A.

Dis Markers. 2010;29(1):21-9. doi: 10.3233/DMA-2010-0722.

[Immunohistochemically detectable dickkopf-3 expression in tumor vessels predicts survival in gastric cancer.](#)

Mühlmann G, Untergasser G, Zitt M, Zitt M, Maier H, Mikuz G, Kronberger IE, Haffner MC, Gunsilius E, **Ofner D**.

Virchows Arch. 2010 Jun;456(6):635-46. doi: 10.1007/s00428-010-0926-4. Epub 2010 May 15.

[Prostate-specific membrane antigen expression in the neovasculature of gastric and colorectal cancers.](#)

Haffner MC, Kronberger IE, Ross JS, Sheehan CE, Zitt M, Mühlmann G, **Ofner D**, Zelger B, Ensinger C, Yang XJ, Geley S, Margreiter R, Bander NH. Hum Pathol. 2009 Dec;40(12):1754-61. doi: 10.1016/j.humpath.2009.06.003. Epub 2009 Aug 27.

[Are gender-associated differences in quality of life in colorectal cancer patients disease-specific?](#)

Giesinger J, Kemmler G, Mueller V, Zabernigg A, Mayrbaeurl B, Thaler J, **Ofner D**, Pegger C, Rumpold G, Weber B, Sperner-Unterweger B, Holzner B. Qual Life Res. 2009 Jun;18(5):547-55. doi: 10.1007/s11136-009-9468-0. Epub 2009 Apr 1.

[Circulating cell-free DNA in plasma of locally advanced rectal cancer patients undergoing preoperative chemoradiation: a potential diagnostic tool for therapy monitoring.](#)

Zitt M, Müller HM, Rochel M, Schwendinger V, Zitt M, Goebel G, Devries A, Margreiter R, Oberwalder M, Zeillinger R, **Ofner D**. Dis Markers. 2008;25(3):159-65.

Acellular porcine cross-linked dermal collagen may be a valuable graft for pelvic floor reconstruction after extended resection.

Oberwalder M, Margreiter R, Maier HT, Zitt M, **Ofner D**. Int J Colorectal Dis. 2009 Mar;24(3):357-8. doi: 10.1007/s00384-008-0629-3. Epub 2008 Dec 16. No abstract available.

Postoperative morbidity following chemoradiation for locally advanced low rectal cancer.

Stelzmueller I, Zitt M, Aigner F, Kafka-Ritsch R, Jäger R, De Vries A, Lukas P, Eisterer W, Bonatti H, **Ofner D**. J Gastrointest Surg. 2009 Apr;13(4):657-67. doi: 10.1007/s11605-008-0760-z. Epub 2008 Dec 11.

COX-2 expression in highly aggressive thyroid malignancies - indication for a possible therapeutic option?

Sheu SY, Grabellus F, Schwertheim S, Mann K, Ensinger C, **Ofner D**, Bockhorn M, Fuhrer D, Schmid KW. Horm Metab Res. 2009 Apr;41(4):314-9. doi: 10.1055/s-0028-1102944. Epub 2008 Dec 1.

TROP2 expression as prognostic marker for gastric carcinoma.

Mühlmann G, Spizzo G, Gostner J, Zitt M, Maier H, Moser P, Gastl G, Zitt M, Müller HM, Margreiter R, **Ofner D**, Fong D. J Clin Pathol. 2009 Feb;62(2):152-8. doi: 10.1136/jcp.2008.060590. Epub 2008 Oct 17.

Intraoperative colonoscopy for anastomosis assessment in laparoscopically assisted left-sided colon resection: is it worthwhile?

Lanthaler M, Biebl M, Mittermair R, **Ofner D**, Nehoda H. J Laparoendosc Adv Surg Tech A. 2008 Feb;18(1):27-31. doi: 10.1089/lap.2007.0058.

Dickkopf-3 as a new potential marker for neoangiogenesis in colorectal cancer: expression in cancer tissue and adjacent non-cancerous tissue.

Zitt M, Untergasser G, Amberger A, Moser P, Stadlmann S, Zitt M, Müller HM, Mühlmann G, Perathoner A, Margreiter R, Gunsilius E, **Ofner D**. Dis Markers. 2008;24(2):101-9.

Bilirubin inhibits tumor cell growth via activation of ERK.

Ollinger R, Kogler P, Troppmair J, Hermann M, Wurm M, Drasche A, Königsrainer I, Amberger A, Weiss H, **Ofner D**, Bach FH, Margreiter R. Cell Cycle. 2007 Dec 15;6(24):3078-85. Epub 2007 Sep 7.

SFRP2 methylation in fecal DNA--a marker for colorectal polyps.

Oberwalder M, Zitt M, Wöntner C, Fiegl H, Goebel G, Zitt M, Köhle O, Mühlmann G, **Ofner D**, Margreiter R, Müller HM.

Int J Colorectal Dis. 2008 Jan;23(1):15-9. Epub 2007 Jul 17.

Anatomical considerations in TNM staging and therapeutical procedures for low rectal cancer.

Aigner F, Trieb T, **Ofner D**, Margreiter R, Devries A, Zbar AP, Fritsch H.

Int J Colorectal Dis. 2007 Nov;22(11):1339-46. Epub 2007 Jul 10.

The C allele of the GNB3 C825T polymorphism of the G protein beta3-subunit is associated with an increased risk for the development of oncocytic thyroid tumours.

Sheu SY, Handke S, Bröcker-Preuss M, Görges R, Frey UH, Ensinger C, **Ofner D**, Farid NR, Siffert W, Schmid KW.

J Pathol. 2007 Jan;211(1):60-6.

Disseminated tumor cells in peripheral blood: a novel marker for therapy response in locally advanced rectal cancer patients undergoing preoperative chemoradiation.

Zitt M, Zitt M, Müller HM, Dinnewitzer AJ, Schwendinger V, Goebel G, De Vries A, Amberger A, Weiss H, Margreiter R, **Ofner D**, Oberwalder M. Dis Colon Rectum. 2006 Oct;49(10):1484-91.

Assessment of risk-independent follow-up to detect asymptomatic recurrence after curative resection of colorectal cancer.

Zitt M, Mühlmann G, Weiss H, Kafka-Ritsch R, Oberwalder M, Kirchmayr W, Margreiter R, **Ofner D**, Klaus A.

Langenbecks Arch Surg. 2006 Aug;391(4):369-75. Epub 2006 May 6.

Different genotype distribution of the GNB3 C825T polymorphism of the G protein beta3 subunit in adenomas and differentiated thyroid carcinomas of follicular cell origin.

Sheu SY, Görges R, Ensinger C, **Ofner D**, Farid NR, Siffert W, Schmid KW. J Pathol. 2005 Dec;207(4):430-5.

Methylation changes in faecal DNA: a marker for colorectal cancer screening?

Müller HM, Oberwalder M, Fiegl H, Morandell M, Goebel G, Zitt M, Mühlthaler M, **Ofner D**, Margreiter R, Widschwendter M.

Lancet. 2004 Apr 17;363(9417):1283-5.

Re: Quantitative evaluation of AgNORs in bone tumours.

Tuccari G, **Ofner D**, Rüschoff J.

Pathology. 2003 Oct;35(5):455-6. No abstract available.

Relationship between HER2 status and proliferation rate in breast cancer assessed by immunohistochemistry, fluorescence in situ hybridisation and standardised AgNOR analysis.

Bánkfalvi A, Giuffrè G, **Ofner D**, Diallo R, Poremba C, Buchwalow IB, Barresi V, Böcker W, Tuccari G.
Int J Oncol. 2003 Nov;23(5):1285-92.

Tumor microcirculation and diffusion predict therapy outcome for primary rectal carcinoma.

DeVries AF, Kremser C, Hein PA, Griebel J, Krezcy A, **Ofner D**, Pfeiffer KP, Lukas P, Judmaier W.
Int J Radiat Oncol Biol Phys. 2003 Jul 15;56(4):958-65.

Impact of neoadjuvant chemoradiation on anal sphincter function in patients with carcinoma of the midrectum and low rectum.

Ammann K, Kirchmayr W, Klaus A, Mühlmann G, Kafka R, Oberwalder M, De Vries A, **Ofner D**, Weiss H.
Arch Surg. 2003 Mar;138(3):257-61.

Skin implant metastasis after percutaneous radio-frequency therapy of liver metastasis of a colorectal carcinoma.

Bonatti H, Bodner G, Obrist P, Bechter O, Wetscher G, **Oefner D**.
Am Surg. 2003 Sep;69(9):763-5.

Evaluation of thymidylate synthase protein expression by Western blotting and immunohistochemistry on human colon carcinoma xenografts in nude mice.

Derenzini M, Montanaro L, Chillà A, Tosti E, Ceccarelli C, Dall'Olio F, **Ofner D**, Treré D.
J Histochem Cytochem. 2002 Dec;50(12):1633-40.

Thymidylate synthase protein expression and activity are related to the cell proliferation rate in human cancer cell lines.

Derenzini M, Montanaro L, Treré D, Chillà A, Tazzari PL, Dall'Olio F, **Ofner D**.
Mol Pathol. 2002 Oct;55(5):310-4.

Intravital lectin perfusion analysis of vascular permeability in human micro- and macro- blood vessels.

Debbage PL, Sölder E, Seidl S, Hutzler P, Hugl B, **Ofner D**, Kreczy A.
Histochem Cell Biol. 2001 Oct;116(4):349-59.

[Viability monitor of free flaps in hypopharynx reconstruction].

Schwabegger AH, Gschnitzer C, Gunkel A, Pototschnig C, **Ofner D**, Ninković M.
Handchir Mikrochir Plast Chir. 2001 Jul;33(4):258-61. German.

Orthopaedic information on the Internet.

Nogler M, Wimmer C, Mayr E, **Ofner D**.
J Bone Joint Surg Am. 2001 Jun;83-A(6):951-2. No abstract available.

Inhibition of store-operated calcium entry contributes to the anti-proliferative effect of non-steroidal anti-inflammatory drugs in human colon cancer cells.
Weiss H, Amberger A, Widschwendter M, Margreiter R, **Ofner D**, Dietl P.
Int J Cancer. 2001 Jun 15;92(6):877-82.

Tumor microcirculation evaluated by dynamic magnetic resonance imaging predicts therapy outcome for primary rectal carcinoma.
Devries AF, Griebel J, Kremser C, Judmaier W, Gneiting T, Kreczy A, **Ofner D**, Pfeiffer KP, Brix G, Lukas P.
Cancer Res. 2001 Mar 15;61(6):2513-6.

Standardized use of the AgNOR method.
Tuccari G, Giuffrè G, **Ofner D**, Rüschoff J.
J Oral Pathol Med. 2000 Nov;29(10):526-7. No abstract available.

Expandable metal stents versus laser combined with radiotherapy for palliation of unresectable esophageal cancer: a prospective randomized trial.
Königsrainer A, Riedmann B, De Vries A, **Ofner D**, Spechtenhauser B, Aigner F, Fritsch E, Margreiter R.
Hepatogastroenterology. 2000 May-Jun;47(33):724-7.

Morphometric analysis of AgNORs in uveal malignant melanoma.
Tuccari G, Giuffrè G, Gimenez-Mas JA, **Ofner D**.
Anal Quant Cytol Histol. 2000 Apr;22(2):183-4. No abstract available.

In situ standardised AgNOR analysis: a simplified method for routine use to determine prognosis and chemotherapy efficiency in colorectal adenocarcinoma.

Ofner D.
Micron. 2000 Apr;31(2):161-4. Review.

[Development and application of dynamic MR imaging in the evaluation of perfusion changes in rectal carcinoma during radiotherapy in clinical routine. Preliminary results].

de Vries A, Griebel J, Judmaier W, Kremser C, Gneiting T, Hoflehner J, Peer S, **Ofner D**, Brandl M, Schocke M, Rettl G, Debbage P, Aichner F, Lukas P. Strahlenther Onkol. 1999 Nov;175(11):569-76. German.
PMID: 10584128

Mean weighted nuclear volumes in colonic adenocarcinomas. Evaluation of prognostic significance.

Mairinger T, Happacher R, Gabl C, Hoffmann Y, **Ofner D**, Schmid KW, Gschwendtner A.
Anal Quant Cytol Histol. 1999 Jun;21(3):194-200.

Optimization of phagocyte chemiluminescence measurements using microplates and vials.

Hengster P, Kunc M, Linke R, Eberl T, Steurer W, **Ofner D**, Berthold F, Margreiter R.
Luminescence. 1999 Mar-Apr;14(2):91-8.

The efficacy of using search engines in procuring information about orthopaedic foot and ankle problems from the World Wide Web.

Nogler M, Wimmer C, Mayr E, **Ofner D**.
Foot Ankle Int. 1999 May;20(5):322-5.

Standardized in situ AgNOR analysis in breast pathology: diagnostic and cell kinetic implications.

Bànkfalvi A, **Ofner D**, Schmid KW, Schmitz KJ, Breukelmann D, Krech R, Böcker W.
Pathol Res Pract. 1999;195(4):219-29.

Immunophenotypic analysis of normal mucosa and squamous cell carcinoma of the oral cavity.

Piffkò J, Bànkfalvi A, Joos U, **Ofner D**, Krassort M, Schmid KW.
Cancer Detect Prev. 1999;23(1):45-56.

Myocardial fatty acid metabolism during acute cardiac allograft rejection.

Hengster P, Linke R, Decristoforo C, Feichtinger J, Fridrich L, Eberl T, **Ofner D**, Riccabona G, Margreiter R.
Res Exp Med (Berl). 1998;197(5):255-62.

Molecular assessment of p53 abnormalities at the invasive front of oral squamous cell carcinomas.

Piffkò J, Bànkfalvi A, Tory K, Füzesi L, Bryne M, **Ofner D**, Kusch F, Joos U, Schmid KW.
Head Neck. 1998 Jan;20(1):8-15.

Proliferation and DNA fragmentation in meningioma subtypes.

Maier H, Wanschitz J, Sedivy R, Rössler K, **Ofner D**, Budka H.
Neuropathol Appl Neurobiol. 1997 Dec;23(6):496-506.

Metallothionein overexpression in human brain tumours.

Maier H, Jones C, Jasani B, **Ofner D**, Zelger B, Schmid KW, Budka H.
Acta Neuropathol. 1997 Dec;94(6):599-604.

Standardized AgNOR analysis of the invasive tumour front in oral squamous cell carcinomas.

Piffkò J, Bànkfalvi A, **Ofner D**, Rasch D, Joos U, Schmid KW.
J Pathol. 1997 Aug;182(4):450-6.

Standardized demonstration of silver-stained nucleolar organizer regions-associated proteins in archival oral squamous cell carcinomas and adjacent non-neoplastic mucosa.

Piffkò J, Bánkfalvi A, **Ofner D**, Rasch D, Joos U, Schmid KW.
Mod Pathol. 1997 Feb;10(2):98-104.

[Apoptosis is involved in endothelial cell damage during preservation and influenced by organ storage solutions.](#)

Trieb K, Eberl T, Steger M, **Ofner D**, Steinlechner R, Gnaiger E,
Schröcksnadel H, Grubeck-Loebenstein B, Margreiter R.
Transplant Proc. 1997 Feb-Mar;29(1-2):416-8. No abstract available.

[Plasmapheresis for the treatment of acute vascular rejection in renal transplantation.](#)

Aichberger C, Nussbaumer W, Rosmanith P, Riedmann B, Spechtenhauser
B, Feichtinger H, Fend F, Pernthaler H, **Ofner D**, Schönitzer D, Margreiter R.
Transplant Proc. 1997 Feb-Mar;29(1-2):169-70. No abstract available.

[Prognostic value of histobiological factors \(malignancy grading and AgNOR content\) assessed at the invasive tumour front of oral squamous cell carcinomas.](#)

Piffkò J, Bánkfalvi A, **Ofner D**, Bryne M, Rasch D, Joos U, Böcker W, Schmid
KW.
Br J Cancer. 1997;75(10):1543-6.

[Minimally invasive follicular thyroid carcinoma: a clinico-pathological study.](#)
Schmid KW, Tötsch M, **Ofner D**, Böcker W, Ladurner D.
Curr Top Pathol. 1997;91:37-43. No abstract available.

[MIB1 in colorectal carcinomas: its evaluation by three different methods reveals lack of prognostic significance.](#)

Ofner D, Grothaus A, Riedmann B, Larcher P, Maier H, Bankfalvi A, Schmid
KW.
Anal Cell Pathol. 1996 Nov;12(2):61-70.

[In situ assessment of cell proliferation at the invasive front of oral squamous cell carcinomas.](#)

Piffkó J, Bánkfalvi A, **Ofner D**, Kusch F, Böcker W, Joos U, Schmid KW.
Virchows Arch. 1996 Nov;429(4-5):229-34.

[Limited experience with intestinal transplantation.](#)

Margreiter R, Königsrainer A, Pernthaler H, **Ofner D**, Schmid T, Oberhuber G,
Aichberger C.
Transplant Proc. 1996 Oct;28(5):2738-9. No abstract available.

[Standardized AgNOR analysis: its usefulness in surgical oncology.](#)

Ofner D, Schmid KW.
Histochem Cell Biol. 1996 Aug;106(2):193-6. Review.

Possible Relation of p53 and mdm-2 Oncoprotein Expression in Thyroid Carcinoma: A Molecular-Pathological and Immunohistochemical Study on Paraffin-Embedded Tissue.

Schmid KW, Bankfalvi A, Mucke S, **Ofner D**, Riehemann K, Schroder S, Stucker A, Totsch M, Dockhorn-Dworniczak B.
Endocr Pathol. 1996 Summer;7(2):121-130.

Standardized AgNOR quantitation.

Ofner D, Schmid KW.
J Pathol. 1996 Jun;179(2):218-9. No abstract available.

Long-term outcome after switch from cyclosporine-based triple-drug immunosuppression to double therapy at three months.

Aichberger C, Eberl T, Riedmann B, Pernthaler H, **Ofner D**, Königsrainer A, Margreiter R.
Clin Transplant. 1996 Apr;10(2):209-12.

Experience with 100 combined pancreatic renal transplantations in a single center.

Di Landro D, Koenigsrainer A, **Oefner D**, Aichberger C, Romagnoli GF, Margreiter R.
Nephron. 1996;72(4):547-51.

Aneurysmal and haemangiopericytoma-like fibrous histiocytoma.

Zelger BW, Zelger BG, Steiner H, **Ofner D**.
J Clin Pathol. 1996 Apr;49(4):313-8.

Diagnostic value of different PCR assays for the detection of mycobacterial DNA in granulomatous lymphadenopathy.

Tötsch M, Böcker W, Brömmelkamp E, Fille M, Kreczy A, **Ofner D**, Schmid KW, Dockhorn-Dworniczak B.
J Pathol. 1996 Feb;178(2):221-6.

Significance of Wet Autoclave Pretreatment in Immunohistochemistry.

Bánkfalvi Á Á, Piffkó J, Öfner D, Dreier R, Böcker W, Werner K.
Pathol Oncol Res. 1996;2(1-2):71-77.

Proliferative (MIB1, mdm2) Versus Anti-Proliferative (p53) Markers in Head and Neck Cancer. An Immunohistochemical Study.

Piffkó J, Bánkfalvi Á Á, Öfner D, Tötsch M, Berens A, Joos U, Böcker W, Schmid KW.
Pathol Oncol Res. 1996;2(1-2):37-42.

The effect of nephrectomy on the outcome of renal transplantation in patients with polycystic kidney disease.

Brazda E, **Ofner D**, Riedmann B, Spechtenhauser B, Margreiter R.
Ann Transplant. 1996;1(2):15-8.

Demonstration of silver-stained nucleolar organizer region associated proteins (AgNORs) after wet autoclave pretreatment in breast carcinoma: correlation to tumor stage and long-term survival.

Ofner D, Bier B, Heinrichs S, Berghorn M, Dünser M, Hagemann HA, Langer D, Böcker W, Schmid KW.

Breast Cancer Res Treat. 1996;39(2):165-76.

p53, Ki-ras, and DNA ploidy in human pancreatic ductal adenocarcinomas.

Weyrer K, Feichtinger H, Haun M, Weiss G, **Ofner D**, Weger AR, Umlauft F, Grünwald K.

Lab Invest. 1996 Jan;74(1):279-89.

Prognosis and life expectancy on alpha-1-antitrypsin deficiency and chronic liver disease.

Propst A, Propst T, **Ofner D**, Feichtinger H, Judmaier G, Vogel W.

Scand J Gastroenterol. 1995 Nov;30(11):1108-12.

PMID: 8578172

Immunohistochemically detectable bcl-2 expression in colorectal carcinoma: correlation with tumour stage and patient survival.

Ofner D, Riehemann K, Maier H, Riedmann B, Nehoda H, Tötsch M, Böcker W, Jasani B, Schmid KW.

Br J Cancer. 1995 Oct;72(4):981-5.

Expression of p53 protein in oral squamous cell carcinomas and adjacent non-tumorous mucosa of the floor of the mouth: an archival immunohistochemical study using wet autoclave pretreatment for antigen retrieval.

Piffkó J, Bánkfalvi A, **Ofner D**, Berens A, Tkotz T, Joos U, Böcker W, Schmid KW.

J Oral Pathol Med. 1995 Sep;24(8):337-42.

Prognosis and life expectancy in chronic liver disease.

Propst A, Propst T, Zangerl G, **Ofner D**, Judmaier G, Vogel W.

Dig Dis Sci. 1995 Aug;40(8):1805-15.

Fulminant hepatic failure in a child as a potential adverse effect of trimethoprim-sulphamethoxazole.

Simma B, Meister B, Deutsch J, Sperl W, Fend F, **Ofner D**, Margreiter R, Vogel W.

Eur J Pediatr. 1995 Jul;154(7):530-3.

Statistical modelling in analysis of outcome after trauma Glasgow-Coma-Scale and Innsbruck-Coma-Scale.

Benzer A, Traweger C, **Ofner D**, Marosi M, Luef G, Schmutzhard E.

Anesthesiol Intensivmed Notfallmed Schmerzther. 1995 Jun;30(4):231-5.

Atrophic variants of dermatofibroma and dermatofibrosarcoma protuberans.

Zelger BW, **Ofner D**, Zelger BG.

Histopathology. 1995 Jun;26(6):519-27.

Immunohistochemical detection of p53 protein in archival tissues from squamous cell carcinomas of the oral cavity using wet autoclave antigen retrieval.

Piffko J, Bankfalvi A, **Ofner D**, Joos U, Böcker W, Schmid KW.

J Pathol. 1995 May;176(1):69-75.

Standardized staining and analysis of argyrophilic nucleolar organizer region associated proteins (AgNORs) in radically resected colorectal adenocarcinoma--correlation with tumour stage and long-term survival.

Ofner D, Riedmann B, Maier H, Hittmair A, Rumer A, Tötsch M,

Spechtenhauser B, Böcker W, Schmid KW.

J Pathol. 1995 Apr;175(4):441-8.

Secretoneurin in bronchopulmonary carcinoids--immunohistochemical comparison with chromogranins A and B and secretogranin II.

Tötsch M, Padberg BC, Schröder S, **Ofner D**, Böcker W, Fischer-Colbrie R, Schmid KW.

Histopathology. 1995 Apr;26(4):357-61.

The impact of jejunal transplant peristalsis on enteric flora.

Pernthaler H, Eigenthaler A, Pfurtscheller G, Plattner R, **Ofner D**, Klima G,

Kreczy A, Saltuari L, Margreiter R.

J Pediatr Surg. 1995 Apr;30(4):573-6.

Immunohistochemically detectable p53 and mdm-2 oncoprotein expression in colorectal carcinoma: prognostic significance.

Ofner D, Maier H, Riedmann B, Holzberger P, Nogler M, Tötsch M, Bankfalvi A, Winde G, Böcker W, Schmid KW.

Clin Mol Pathol. 1995 Feb;48(1):M12-6.

Pentoxifylline as an adjunct to cyclosporine-based immunosuppression does not improve the outcome of renal transplantation.

Königsrainer A, Aichberger C, Riedmann B, Steurer W, **Ofner D**, Margreiter R.

Transplant Proc. 1995 Feb;27(1):1062-3.

Wet autoclave pretreatment for immunohistochemical demonstration of oestrogen receptors in routinely processed breast carcinoma tissue.

Bier B, Bankfalvi A, Grote L, Blasius S, **Ofner D**, Böcker W, Jasani B, Schmid KW.

Histochem J. 1995 Feb;27(2):148-54.

Immunohistochemical distribution of chromogranins A and B and secretogranin II in neuroendocrine tumours of the gastrointestinal tract.

Fahrenkamp AG, Wibbeke C, Winde G, **Ofner D**, Böcker W, Fischer-Colbrie R, Schmid KW.

Virchows Arch. 1995;426(4):361-7.

The significance of nucleolar organizer region (AgNOR) score in predicting meningioma recurrence.

Maier H, **Ofner D**, Badka H.

Cancer. 1995 Jan 1;75(1):130-1. No abstract available.

Nucleolar organizer regions in lining epithelium adjacent to squamous cell carcinoma of human oral mucosa.

Bankfalvi A, **Ofner D**, Piffko J, Schmid KW.

Cancer. 1994 Dec 15;74(12):3245-7. No abstract available.

Wet autoclave pretreatment improves the visualization of silver-stained nucleolar organizer-region-associated proteins in routinely formalin-fixed and paraffin-embedded tissues.

Ofner D, Bankfalvi A, Riehemann K, Bier B, Böcker W, Schmid KW.

Mod Pathol. 1994 Dec;7(9):946-50.

[Moist autoclaving. A simplified method for antigen unmasking].

Bankfalvi A, Riehemann K, **Ofner D**, Checci R, Morgan JM, Piffko J, Böcker W, Jasani B, Schmid KW.

Pathologe. 1994 Dec;15(6):345-9. German.

Prognostic relevance of p53 mutation in colorectal carcinoma.

Ofner D, Schmid KW P.

Gastroenterology. 1994 Nov;107(5):1571-2. No abstract available.

Apolipoprotein(a) phenotype-associated decrease in lipoprotein(a) plasma concentrations after renal transplantation.

Kronenberg F, König P, Lhotta K, **Ofner D**, Sandholzer C, Margreiter R,

Dosch E, Utermann G, Dieplinger H.

Arterioscler Thromb. 1994 Sep;14(9):1399-404.

Bronchoalveolar lavage: results of sequential, selective techniques in viable murines.

Reis A, Tötsch M, Shennib H, **Ofner D**, Serrick C, Jamjoom A, Chikhani N, Mikuz G, Margreiter R.

Am J Respir Crit Care Med. 1994 Aug;150(2):547-50.

[A standardized AgNOR stain method for formalin fixed and paraffin embedded material].

Ofner D, Bankfalvi A, Riehemann K, Böcker W, Schmid KW.

Pathologe. 1994 Aug;15(4):226-30. German.

Deep penetrating dermatofibroma versus dermatofibrosarcoma protuberans. A clinicopathologic comparison.

Zelger B, Sidoroff A, Stanzl U, Fritsch PO, **Ofner D**, Zelger B, Jasani B, Schmid KW.

Am J Surg Pathol. 1994 Jul;18(7):677-86.

Myoelectric activity during small bowel allograft rejection.

Pernthaler H, Kreczy A, Plattner R, Pfurtscheller G, Saltuari L, Schmid T, **Ofner D**, Klima G, Margreiter R.

Dig Dis Sci. 1994 Jun;39(6):1216-21.

Periodicity of the migrating myoelectric complex in transplanted rat small intestine and its impact on the enteric flora.

Pernthaler H, Plattner R, Eigenthaler A, **Ofner D**, Kofler M, Schmid T, Margreiter R.

Transplant Proc. 1994 Jun;26(3):1659-60. No abstract available.

Early diagnosis of fat embolism syndrome by automated image analysis of alveolar macrophages.

Benzer A, **Ofner D**, Tötsch M, Klima G.

J Clin Monit. 1994 May;10(3):213-5.

Sequential quantification of AgNOR area and number during silver staining by means of an image analysing system.

Ofner D, Hittmair A, Maier H, Riedmann B, Rumer A, Lucciarini P, Offner F, Mikuz G, Schmid KW.

Zentralbl Pathol. 1994 Mar;140(1):37-40.

Guidelines of AgNOR quantitation. Committee on AgNOR Quantitation within the European Society of Pathology.

Aubele M, Biesterfeld S, Derenzini M, Hufnagl P, Martin H, **Ofner D**, Ploton D, Rüschoff J.

Zentralbl Pathol. 1994 Mar;140(1):107-8. No abstract available.

Successful kidney transplantation in small children.

Aichberger C, Königsrainer A, **Ofner D**, Fischer H, Meister B, Margreiter R. Transplant Proc. 1994 Feb;26(1):49. No abstract available.

Novel technique of bile duct reconstruction in pediatric liver transplantation.

Königsrainer A, Pernthaler H, **Ofner D**, Aichberger C, Margreiter R.

Transplant Proc. 1994 Feb;26(1):198-200. No abstract available.

In vitro investigations of interphase and metaphase argyrophilic nucleolar organizer regions and cellular proliferation in the human urothelial cancer cell line HOK-1.

Hittmair A, **Ofner D**, Offner F, Feichtinger H, Ensinger C, Rogatsch H, Mikuz G.
Virchows Arch. 1994;424(2):149-54.

Immunohistochemical metallothionein expression in colorectal adenocarcinoma: correlation with tumour stage and patient survival.

Ofner D, Maier H, Riedmann B, Bammer T, Rumer A, Winde G, Böcker W, Jasani B, Schmid KW.
Virchows Arch. 1994;425(5):491-7.

Ultrasonography in the initial evaluation and follow-up of blunt abdominal injury.

Lucciarini P, **Ofner D**, Weber F, Lungenschmid D.
Surgery. 1993 Sep;114(3):506-12.

Immunohistochemically demonstrated metallothionein expression in malignant melanoma.

Zelger B, Hittmair A, Schir M, Ofner C, **Ofner D**, Fritsch PO, Böcker W, Jasani B, Schmid KW.
Histopathology. 1993 Sep;23(3):257-63.

Quantitative immunohistochemical evaluation by image analysis of metallothionein in copper-loaded rat kidney.

Schmid KW, Morgan JM, **Ofner D**, Hittmair A, Haywood S, Jasani B.
J Histochem Cytochem. 1993 May;41(5):727-31.

Sneddon's syndrome. A long-term follow-up of 21 patients.

Zelger B, Sepp N, Stockhammer G, Dosch E, Hilte E, **Ofner D**, Aichner F, Fritsch PO.
Arch Dermatol. 1993 Apr;129(4):437-47. Review.

Presence and possible significance of immunocytochemically demonstrable metallothionein over-expression in primary invasive ductal carcinoma of the breast.

Schmid KW, Ellis IO, Gee JM, Darke BM, Lees WE, Kay J, Cryer A, Stark JM, Hittmair A, **Ofner D**, et al.
Virchows Arch A Pathol Anat Histopathol. 1993;422(2):153-9.

[The effect of various donor factors on primary and long-term function of the transplanted kidney].

Koller J, Wieser C, Kornberger R, Gottardis M, **Ofner D**, Margreiter R.
Wien Klin Wochenschr. 1993;105(15):425-8. German.

[Pregnancy after kidney transplantation].

Aichberger C, Lechner W, **Ofner D**, Pernthaler H, Königsrainer A, Margreiter R.
Wien Klin Wochenschr. 1993;105(24):723-7. Review. German.

Relationship between quantity of silver stained nucleolar organizer region associated proteins (Ag-NORs) and growth rate suppression of breast cancer cell lines after interferon-gamma and 4-hydroxy-tamoxifen treatment.

Ofner D, Hittmair A, Marth C, Tötsch M, Daxenbichler G, Margreiter R, Böcker W, Schmid KW.

Virchows Arch B Cell Pathol Incl Mol Pathol. 1993;63(6):359-63.

[Proliferative activity and p53 expression in transitional cell carcinoma of the urinary bladder].

Offner FA, Schäfer G, Hittmair A, **Ofner D**, Grünewald K, Weyrer K, Mattern D, Eberle J, Mikuz G, Feichtinger H.

Verh Dtsch Ges Pathol. 1993;77:241-6. Review. German.

Pancreas transplantation--a critical appraisal.

Margreiter R, **Ofner D**, Reinl E, Patsch J, Königsrainer A.

Transplant Proc. 1992 Dec;24(6):2383-6. Review. No abstract available.

Deoxyribonucleic acid flow cytometry and semiquantitative histology of spermatogenesis: a comparative study.

Hittmair A, Rogatsch H, Offner F, Feichtinger H, **Ofner D**, Mikuz G.

Fertil Steril. 1992 Nov;58(5):1040-5.

Classic, atypical, and anaplastic meningioma: three histopathological subtypes of clinical relevance.

Maier H, **Ofner D**, Hittmair A, Kitz K, Budka H.

J Neurosurg. 1992 Oct;77(4):616-23.

Relationship between quantity of silver stained nucleolar organizer regions associated proteins (Ag-NORs) and population doubling time in ten breast cancer cell lines.

Ofner D, Hittmair A, Marth C, Ofner C, Tötsch M, Daxenbichler G, Mikuz G, Margreiter R, Schmid KW.

Pathol Res Pract. 1992 Aug;188(6):742-6.

Low incidence of urinary tract infection after combined kidney and segmental pancreas transplantation with bladder drainage.

Königsrainer A, Steurer W, Aichberger C, Schmid T, **Ofner D**, Margreiter R.

Transplant Proc. 1992 Jun;24(3):784-5. No abstract available.

Immunohistochemical demonstration of chromogranins A and B in neuroendocrine tumors of the lung.

Tötsch M, Müller LC, Hittmair A, **Ofner D**, Gibbs AR, Schmid KW.

Hum Pathol. 1992 Mar;23(3):312-6.

Effects of interferons on the expression of the proto-oncogene HER-2 in human ovarian carcinoma cells.

Marth C, Cronauer MV, Doppler W, **Ofner D**, Ullrich A, Daxenbichler G. Int J Cancer. 1992 Jan 2;50(1):64-8.

Multiple organ procurement--a simple and safe procedure.

Margreiter R, Königsrainer A, Schmid T, Takahashi N, Pernthaler H, **Ofner D**. Transplant Proc. 1991 Oct;23(5):2307-8. No abstract available.

Does pancreas transplantation influence the course of diabetic retinopathy?

Königsrainer A, Miller K, Steurer W, Kieselbach G, Aichberger C, **Ofner D**, Margreiter R.

Diabetologia. 1991 Aug;34 Suppl 1:S86-8.

Quantitative nuclear DNA content in fine needle aspirates of pancreatic cancer.

Weger AR, Glaser KS, Schwab G, **Oefner D**, Bodner E, Auer GU, Mikuz G. Gut. 1991 Mar;32(3):325-8.

Silver stained nucleolar organizer regions in cancer cells.

Hittmair A, **Ofner D**.

Lab Invest. 1991 May;64(5):718-9. No abstract available.

Small bowel transplantation in the rat: impact of various immunosuppressive regimens on graft-versus-host reaction.

Oberhuber G, Schmid T, Erdkönig R, Thaler W, **Ofner D**, Köröszi G, Klima G, Margreiter R.

Eur Surg Res. 1991;23(3-4):206-13.

Silver stained nucleolar organizer region proteins (Ag-NORs) as a predictor of prognosis in colonic cancer.

Ofner D, Tötsch M, Sandbichler P, Hallbrucker C, Margreiter R, Mikuz G, Schmid KW.

J Pathol. 1990 Sep;162(1):43-9.

Course of diabetic retinopathy after pancreas transplantation.

Königsrainer A, Miller K, Kieselbach G, **Ofner D**, Tauscher T, Dünser M, Margreiter R.

Transplant Proc. 1990 Apr;22(2):689-90. No abstract available.

Pancreatic juice neopterin excretion--reliable marker for detection of pancreatic allograft rejection.

Königsrainer A, Reibnegger G, **Ofner D**, Klima G, Tauscher T, Margreiter R. Transplant Proc. 1990 Apr;22(2):671-2. No abstract available.

[Intestinal angiodynplasia as a cause of severe intestinal hemorrhage--report of 4 cases].

Sandbichler P, Pernthaler H, Schmid T, **Ofner D**, Aigner F, Tötsch M, Schmid KW.

Klin Wochenschr. 1990 Mar 5;68(5):290-3. German.

Argyrophilic nucleolar organizer region proteins (Ag-NORs) in human brain tumors: relations with grade of malignancy and proliferation indices.

Maier H, Morimura T, **Ofner D**, Hallbrucker C, Kitz K, Budka H.
Acta Neuropathol. 1990;80(2):156-62.

[Permanent tracheostomy in rats].

Czermak B, Knoflach A, **Ofner D**, Klima G, Margreiter R.
Z Exp Chir Transplant Kunstliche Organe. 1990;23(4):241-3. German.

[Metallothionein expression in normal endometrium and cancers of the uterus, ovary and breast].

Schmid KW, Hittmair A, Tötsch M, Müller E, Zaimet A, Tauscher T, Dünser M, **Ofner D**.

Gynakol Rundsch. 1990;30 Suppl 1:150-1. German. No abstract available.

Prognostic significance of tumor cell morphometry, histopathology, and clinical parameters in advanced ovarian carcinoma.

Ludescher C, Weger AR, Lindholm J, **Oefner D**, Hausmaninger H, Reitsamer R, Mikuz G.

Int J Gynecol Pathol. 1990;9(4):343-51.

[The effect of donor conditioning and perioperative management of recipients on the initial and late function of kidney transplants].

Königsrainer A, **Ofner D**, Wieser C, Bösmüller C, Koller J, Margreiter R.
Wien Klin Wochenschr. 1989 Dec 8;101(23):828-32. German.

[Peptic ulcer with a visible non-bleeding vascular wall--early elective surgery or endoscopic therapy?].

Sandbichler P, Pernthaler H, **Ofner D**, Königsrainer A, Schwab G, Aigner F.
Wien Klin Wochenschr. 1989 Nov 10;101(21):736-8. German.

Intraoperative intrarenal manometry (IIM) as a predictor of early graft function.

Schmid T, Sandbichler P, Pernthaler H, **Ofner D**, Königsrainer A, Margreiter R.
Transplant Proc. 1989 Feb;21(1 Pt 2):1923-4. No abstract available.